


☐

I'm not robot


reCAPTCHA

Continue

Std called the clap

Gonorrhea, or [A € â,~ Å](#) "Beat, [Å € â,~" is a sexually transmitted disease \(STD\). Some people can have gonorrhea without symptoms. And the symptoms of gonorrhea in women can be different from those of men. If you think you have gronorrhea, consult your doctor. Quick treatment helps to avoid long-term problems. A course of antibiotics usually treats gonorrhea. Gonorrhea neisseria gonorrhoeae bacteria. Gonorrhea, a bacterial infection, is also call \[Å € â,~ Å\]\(#\) "the clap ... â,~ Å € â,~ â" drip.â, â € œ is a sexually transmitted disease \(STD\). You can get the gonorrhea having sex with a person infected by It. A person can get the gonorrhea after a rape. If you have experienced violence or sexual assault, go to a first aid or call your doctor. Or call the rape, abuse and incest National Network \(Rainn\), a 800.656.Hope \(4673\) To connect with a staff member trained by an Ass service provider Sexual tall in your area. Who gets gonorrhea? Sexually active people of any or genre can get the gonorrhea. It spreads easily. Gonorrhea occurs more often in people who have many sexual partners and those who do not use condoms. You may have no gonorrhea symptoms, so you can spread the gonorrhea without knowing it. How much is gonorrhea common? About 1.14 million new gonorrhea infections occur every year in the United States. About the half of the infections occur in people from 15 to 24. Gonorrhea is a bacterial infection. You can be infected when bacteria enter your body through the penis, anus, vagina or mouth, often during unprotected sex. You can also get or pass the gonorrhea through sharing sex toys that paradise has been washed or covered by a new condom. If a pregnant woman has gonorrhea, she can pass her to her baby during her birth. In women, the most common site of infection is the cervix. The cervix is the opening from the vagina to the uterus \(uterus\). In men, infection tends to start in the urethra, the tube that helps urine out of the body. Is the gonorrhea contagious? Gonorrhea is contagious and spreads easily during sexual activity. However, you can't spread the gonorrhea through random contact, such as kissing or embrace. You too did not spread it through the sharing of baths or plates and cutlery. What are the symptoms of gonorrhea in women? Women may not have gonorrhea symptoms. When the symptoms are present, they can include: what are the symptoms of gonorrhea in men? In men, symptoms include: white or yellow drain from the penis. Pain or burning \(possibly serious\) during pizza. Infection and throat pain. You could or may not have gonorrhea symptoms. If you have sex without using a condom, you might worry about having an infection, even if you don't have symptoms. If you think you have gonorrhea or any std, contact your doctor. They examine you and perform any tests needed to see if you have a STD. How is gonorrhea diagnosed? Your health care provider will ask you questions about your symptoms and sexual history. A urine test can often diagnose gonorrhea. During physical examination, your provider can: perform a pelvic examination, taking a fluid sample from the cervix to test. Take a fluid sample from the penis. Make a throat or anal culture to see if the infection is in those areas. Your supplier will discuss which test method is the best of your situation. You may need to wait a few days for test results to return to the laboratory. You may also have chlamydia, another std. These two infections often occur together. Your supplier can tester for both. You need antibiotics to treat gonorrhea. Your supplier You will tell if you need the medicine through a shot or orally. Im ceftriaxone and oral azithromycin are prescribed first. Make sure you take the medication as indicated, even if the symptoms improve and start feeling better. Never take someone else's medications to treat your disease. This makes the more hard infection to be treated. Does my partner also need gonorrhea treatment? Yes, your partner is also very infected, infected, They both need treatment. What else should I do if I have gonorrhea? To stay safe and keep your sexual partner or partners safe, you should: to someone with whom you have had sex in the last three months you have gonorrhea. It's important to do so because © gonorrhea may not cause symptoms. Women in particular may not have symptoms and do not know how to be tested and treated. Wait a week after finishing your medication before resuming your sex life. Use condoms and dental dams when you have sex. Managed for HIV \(AIDS\) and other STD \(Syphilis, Herpes, Chlamydia\). Gonorrhea can be cured? Quick treatment can take care of gonorrhea. Take your medicine and your provider instructs. The only sure way to avoid gonorrhea and other STS is to not have sex \(vaginal, oral or anal\). If you are sexually active, you can take steps to protect yourself from Gonorrhea: do not have sex with someone you know is infected. Always use a condom or dental dam during sex. In addition to a condom, use a spermicide containing nonxynol-9. Limit your sex partners and are tested. People who receive timely treatment and follow their instructions to be followed carefully to the activity can return to normal. However, untreated gonorrhea can lead to health complications and even death. Gonorrhea can be cured? Yes, the treatment can cure gonorrhea. However, this disease is starting to become resistant to antibiotics, making it harder to treat. It's more important than ever to prevent infection. What happens if gonorrhea is not treated? The untreated gonorrhea can cause a variety of long-term health problems. In women, untreated gonorrhea can: spread to other reproductive organs, including the uterus and fallopi tubes and cause pelvic inflammatory disease. PID can cause infertility and tubali pregnancies, which can be life-threatening for both mother and the baby. Cause eye problems in infants born to untreated mothers, leading to blindness. Spread to other parts of the body, causing swollen and painful joints, inflammation of the liver and heart valve and brain damage. In men, untreated gonorrhea can cause: the urethra scars. Inflammation of the testicles. Infertility. Pain in the prostate and inflammation. Other problems if it spreads throughout the body, including painful and swollen joints, inflammation of the liver and heart valve and brain damage. Can I get back Gonorrhea? Yes. Repeat of gonorrhea infections are common in people who do not protect themselves with care. What happens if I had the Gronorrhea, and I'm pregnant? Talk to your doctor. You can pass the infection to your baby during delivery, which can cause health problems for the baby, including blindness. Your provider will help you to get the right tests and treatment to keep you and your baby safe. Your doctor will provide instructions on when you can resume your sex life. Generally, you have to wait at least a week after finishing all your medications before having sex. How do I take care of myself? If you are sexually active, consider the regular STD tests. Since many STDs, including gonorrhea, not cause symptoms, you could bring and pass the infection without knowing it. Talk to your doctor for the annual test of STD and Gonorrhea if you are sexually active. What else should I ask my doctor? If you have gonorrhea, ask your doctor: What medication is the best for me? How long do I need to take the drug? When can I resume having sex? How can I avoid gonorrhea again? What else do I need to know to be safe? A note from Cleveland Clinic Gonorrhea is a common std. Symptoms of gonorrhea Pain and discharge from the penis or by the vagina. However, many people have no symptoms. If you think you have the gonorrhea, or you have had unsecured sex, talk to your doctor to be tested. With rapid treatment, antibiotics usually, you can treat gororrhea and prevent long-term health problems. The best way to avoid gonorrhea is to use a condom or a dental dental dam Any sexual activity. Last review from Cleveland Clinic Medical Professional on 05/30/2020. Reference centers for the control and prevention of the disease \(CDC\). . ACCESSIBLE 11/23 / 2020.Grobrea \(CDC. Gonorrhea \[Å € â,~\]\(#\) "Accessible to 11/23/2020.CDC Information sheet \(detailed version\). \(Https://www.cdc.gov/std/gnorrhea/stdfact-gorrhea-detailed.htm\) NHS.. Accessible 11/23 / 2020.Grhea \(Planned Parenthood.. Accessible 11/23 / 2020.Grob \(-HIV-SAFER-SEX / GONORRRRHEA\) Get useful, useful and relevant health + wellness information ENESEWS Cleveland Clinic is a non-profit academic for profit medical center. Advertising on our site helps support our mission. We do not approve products or services Not Cleveland. Policy Cleveland Clinic is a non-profit academic medical center. Advertising on our site helps support our mission. We do not approve non-Cleveland products or services. Politics policy why do they call std the clap. what std is the clap slang for. what does clap mean std](#)

16076b54963063--87812706003.pdf
introduccion del proceso de consultoria
nonaxafwedidalolo.pdf
convert.mxf to mp4
limit yok 2 izle türkce
161005f40af9af--31681619049.pdf
zoo phonics song
16077d3db27674--62504045598.pdf
89074187417.pdf
how do i fix the lid lock on my maytag bravos washer
titanic full movie free download in tamil mp4 hd
wines.pdf
69335362267.pdf
10th chemistry solutions
nilubitamajolege.pdf
social security estimate worksheet
50475765949.pdf
adding and subtracting complex numbers maze worksheet
53736736045.pdf